

## Selected Studies using the LSNS-6 (6-item version)

- Albright, D. L., Washington, K., Parker-Oliver, D., Lewis, A., Kruse, R. L., & Demiris, G. (2016). The Social Convoy for Family Caregivers Over the Course of Hospice. *Journal of pain and symptom management*, 51(2), 213-219.
- Alspach, J. (2013). Loneliness and social isolation: Risk factors long overdue for surveillance. *Critical Care Nurse*, 33(6), 8-13. doi: 10.4037/ccn2013377 PMID: 24293552
- Arai, K., & Sakakibara, H. (2014). Malnutrition and social isolation among elderly residents of city public housing. [*Nihon koshu eisei zasshi*] *Japanese journal of public health*, 62(8), 379-389.
- Berkman, L. F., & Krishna, A. (2014). Social network epidemiology. In L. F. Berkman, I. Kawachi, & M. M. Glymour (Eds.), *Social Epidemiology* (pp. 234-248). New York, NY: Oxford University Press.
- Black, J. T., Romano, P. S., Sadeghi, B., Auerback, A. D., Ganiats, T. G., Greenfield, S., ... & The BEAT-HF research Group. (2014). A remote monitoring and telephone nurse coaching intervention to reduce readmissions among patients with heart failure: Study protocol for Better Effectiveness After Transition – Heart Failure (BEAT-HF) randomized controlled trial. *BioMed Central*, 15, 124. doi: 10.1186/1745-6215-15-124 PMID: 24725308
- Boulos, C., Salameh, P., & Barberger-Gateau, P. (2016). Social isolation and risk for malnutrition among older people. *Geriatrics & Gerontology International*.
- Boyas, J. F., Valera, P., & Ruiz, E. (2018). Subjective well-being among Latino day laborers: Examining the role of religiosity, social networks, and cigarette use. *Health promotion perspectives*, 8(1), 46.
- Butler, S. (2006). Evaluating the senior companion program: A mixed-method approach. *Journal of Gerontological Social Work*, 4(1/2), 45-70. PMID: 16901877
- Campos, W., Martinez, A., Sanchez, W., Estrada, H., Favela, J., & Perez, J. (2016). Inferring Social Isolation in Older Adults through Ambient Intelligence and Social Networking Sites. *Computación y Sistemas*, 20(1).
- Casado, B., & Lee, S. (2012). Access barriers to and unmet needs for home-and community-based services among older Korean Americans. *Home Health Care Services Quarterly*, 31, 219-242. doi: 10.1080/01621424.2012.703540 PMID: 22974082.
- Cepeda, J., Niccolai, L., Erisyan, K., Heimer, R., & Levina, O. (2013). Moderate/heavy alcohol use and HCV infection among injection drug users in two Russian cities. *Drug and*

- Alcohol Dependence*, 132, 571-579. doi: 10.1016/j.drugalcdep.2013.04.004 PMID: 23642314.
- Carmaciu, C., Iliffe, S., Kharicha, K., Harari, D., Swift, C., Gillmann, G., & Stuck, A. (2007). Health risk appraisal in older people 3: Prevalence, impact, and context of pain and their implications for GPs. *British Journal of General Practice*, 57, 630-635. PMID: 17688757.
- Chen, S., Conwell, Y., Vanorden, K., Lu, N., Fang, Y., Ma, Y., ... Chiu, H. (2012). Prevalence and natural course of late-life depression in China primary care: A population based study from an urban community. *Journal of Affective Disorders*, 141, 86-93. doi: 10.1016/j.jad.2012.02.027 PMID: 22464006.
- Choi, N., Marti, C., Bruce, M., & Kunik, M. (2012). Relationship between depressive symptom severity and emergency department use among low-income, depressed homebound older adults aged 50 years and older. *BMC Psychiatry*, 12(333), 1-10. doi:10.1186/1471-244X-12-233.
- Choi, N., & Morrow-Howell, N. (2007). Low-income older adults' acceptance of depression treatments: Examination of within-group differences. *Aging and Mental Health*, 11(4), 423-433. PMID: 17612806
- Cimarolli, V., & Wang, S. (2006). Differences in social support among employed and unemployed adults who are visually impaired. *Journal of Visual Impairment and Blindness*, 100(9), 545-556.
- Cimarolli, V. (2006). Perceived overprotection and distress in adults with visual impairment. *Rehabilitation Psychology*, 51(4), 338-345.
- Clough-Gorr, K., Blozik, E., Gilmann, G., Beck, J. C., Ferrell, B. A., Anders, J., ... Stuck, A. E. (2008). The self-administered 24-item geriatric pain measure (GPM-24-SA): psychometric properties in three European populations of community-dwelling older adults. *Pain Medicine*, 9(6), 695 – 709. doi:10.1111/j.1526-4637.2008.00497.x PMID: 18816330.
- Cloutier-Fisher, D., Kobayashi, K., & Smith, A. (2011). The subjective dimension of social isolation: A qualitative investigation of older adults' experiences in small social support networks. *Journal of Aging Studies*, 25, 407-414. doi: 10.1016/j.jaging.2011.03.012
- Cotrell, V., & Carder, P. (2010). Health-related needs assessment of older residents in subsidized housing. *Cityscape: A Journal of Policy Development and Research*, 12(2), 47-66.
- Crooks, V., Lubben, J., Petitti, D., Little, D., & Chiu, V. (2008). Social network, cognitive function, and dementia incidence among elderly women. *American Journal of Public Health*, 98(7), 1221-1227. doi: 10.2105/AJPH.2007.115923 PMID: 18511731.

- Dam, A. E., de Vugt, M. E., van Boxtel, M. P., & Verhey, F. R. (2017). Effectiveness of an online social support intervention for caregivers of people with dementia: the study protocol of a randomised controlled trial. *Trials*, *18*(1), 395.
- Denkinger, M., Franke, S., Rapp, K., Weinmayr, G., Duran-Tauleria, E., Nikolaus, T., ... ActiFE Ulm Study Group. (2010). Accelerometer-based physical activity in a large observational cohort- study protocol and design of the activity and function of the elderly in Ulm (ActiFE Ulm) study. *BMC Geriatrics*, *10*, 50. doi: 10.1186/1471-2318-10-50
- Das, D., Cherbuin, N., Butterworth, P., Anstey, K., & Easta, S. (2012). A population-based study of attention deficit/hyperactivity disorder symptoms and associated impairment in middle-aged adults. *PLoS One*, *7*(2), e31500. doi:10.1371/journal.pone.0031500 PMID: 22347487.
- Eisele, M., Blozik, E., Stork, S., Trader, J., Herrmann-Lingen, C., & Scherer, M. (2013). Recognition of depression and anxiety and their association with quality of life, hospitalization and mortality I primary care patients with heart failure – Study protocol of a longitudinal observation study. *BMC Family Practice*, *14*, 180. doi:10.1186/1471-2296-14-180 PMID: 24279590
- Esgalhado, M., Reis, M., Pereira, H., & Afonso, R. (2010). Influence of social support on the psychological well-being and mental health of older adults living in assisted-living residences. *International Journal of Developmental and Educational Psychology*, *1*, 267-278.
- Eshkoo, S., Hamid, T., Nudin, S., & Mun, C. (2013). The effects of social support and having a partner on sleep quality in dementia. *American Journal of Alzheimer's Disease & Other Dementia*, *28*(3), 253-257. doi: 10.1177/1533317513481098 PMID: 23612908.
- Farina, N., Tabet, N., & Rusted, J. (2014). Habitual physical activity (HPA) as a factor in sustained executive function in Alzheimer-type dementia: A cohort study. *Archives of gerontology and geriatrics*, *59*(1), 91-97.
- Gallagher, D., Mhaolain, A., Crosby, L., Ryan, D., Lacey, L., Coen, R.,... Lawlor, B. (2011). Determinants of the desire to institutionalize in Alzheimer's caregivers. *American Journal of Alzheimer's Disease and Other Dementias*, *26*(3), 205-211. doi: 10.1177/1533317511400307 PMID: 21378063.
- Gallagher, D., Mhaolain, A., Crosby, L., Ryan, D., Lacey, L., Coen, R.,... Lawlor, B. (2011). Self-efficacy for managing dementia may protect against burden and depression in Alzheimer's caregivers. *Aging & Mental Health*, *15*(6), 663-670. doi: 10.1080/13607863.2011.562179 PMID: 21547745.
- Gaugler, J. E. (2016). Assessment and Measurement in Applied Gerontology. *Journal of Applied Gerontology*, *35*(5), 471-473.

- Giovagnoli, A. R., Oliveri, S., Schifano, L., & Raglio, A. (2014). Active music therapy improves cognition and behaviour in chronic vascular encephalopathy: A case report. *Complementary therapies in medicine*, 22(1), 57-62.
- Gray, J., Kim, J., Ciesla, J. R., & Yao, P. (2014). Rasch Analysis of the Lubben Social Network Scale-6 (LSNS-6). *Journal of Applied Gerontology*, 0733464814560468.
- Greysen, S., Horwitz, L., Covinsky, K., Gordon, K., Ohl, M., & Justice, A. (2013). Does social isolation predict hospitalization and mortality among HIV+ and uninfected older veterans? *The American Geriatrics Society*, 61, 1456-1463. doi: 10.1111/jgs.12410 PMID: 23927911.
- Guerette, A., & Smedema, S. (2011). The relationship of perceived social support with well-being in adults with visual impairments. *Journal of Visual Impairment & Blindness*, 105(7), 425-439.
- Hand, C., McColl, M. A., Birtwhistle, R., Kotecha, J. A., Batchelor, D., Barber, K. H. (2014). Social isolation in older adults who are frequent users of primary care services. *Canadian Family Physician*, 60, e322-9 PMID: 24925967
- Hayakawa, K., Kato, T. A., Watabe, M., Teo, A. R., Horikawa, H., Kuwano, N., ... & Sagata, N. (2018). Blood biomarkers of Hikikomori, a severe social withdrawal syndrome. *Scientific reports*, 8(1), 2884.
- Heider, D., Matschinger, H., Muller, H., Saum, K., Quinzler, R., Haefeli, W., ... & Konig, H. (2014). Health care costs in the elderly in Germany: An analysis applying Andersen's behavioral model of health care utilization. *BMC Health Services Research*, 14(71), 1-12. doi: 10.1186/1472-6963-14-71
- Herbolsheimer, F., Mosler, S., Peter, R., & ActiFE Ulm Study Group. (2017). Relationship Between Social Isolation and Indoor and Outdoor Physical Activity in Community-Dwelling Older Adults in Germany: Findings From the ActiFE Study. *Journal of aging and physical activity*, 25(3), 387-394.
- Honeycutt, J. Nasser, K., Banner, J., Mapp, C., & DuPont, B. (2008). Individual differences in catharsis, emotional valence, trauma anxiety, and social networks among hurricane Katrina and Rita victims. *Southern Communication Journal*, 73(3), 229-242. doi: 10.1080/10417940802219728
- Hong, M., De Gagne, J. C., & Shin, H. (2018). Social networks, health promoting-behavior, and health-related quality of life in older Korean adults. *Nursing & health sciences*, 20(1), 79-88.
- Howarter, A., & Bennett, K. (2013). Perceived discrimination and health-related quality of life: Testing the Reserved Capacity Model in Hispanic Americans. *The Journal of Social Psychology*, 153(1), 62-79. PMID: 23421006

- Hwang, J., Wang, L., Siever, J., Medico, T. D., & Jones, C. A. (2018). Loneliness and social isolation among older adults in a community exercise program: a qualitative study. *Aging & mental health*, 1-7.
- Ibrahim, R., Momtaz, Y., & Hamid, T. (2013). Social isolation in older Malaysians: Prevalence and risk factors. *Psychogeriatrics*, 13, 71-79. doi: 10.1111/psyg.12000 PMID: 23909963.
- Iiffe, S., Kharicha, K., Harari, D., Swift, C., Gillmann, G., & Stuck, A. (2013). Health risk appraisal in older people 6: Factors associated with self-reported poor vision and uptake of eye tests in older people. *BMC Family Practice*, 14(1), 130. PMID: 24006949.
- Iiffe, S., Kendrick, D., Morris, R., Skelton, D., Gage, H., Dinan, S., ... Masud, T. (2010). Multi-centre cluster randomised trial comparing a community group exercise programme with home based exercise with usual care for people aged 65 and over in primary care: protocol of the ProAct 65+ trial. *Trials*, 11(1), 6. doi: 10.1186/1745-6215-11-6 PMID: 20082696.
- Iiffe, S., Kharicha, K., Carmaciu, C., Harari, D., Swift, C., Gillman, G., & Stuck, A. (2009). The relationship between pain intensity and severity and depression in older people: Exploratory study. *BMC Family Practice*, 10(54), 1-7. doi:10.1186/1471-2296-10-54
- Iiffe, S., Kharicha, K., Harari, D., Swift, C., Gillmann, G., & Stuck, A. (2007). Health risk appraisal in older people 2: The implications for clinicians and commissioners of social isolation risk in older people. *British Journal of General Practice*, 57, 277-282.
- Irwin, J., & Austin, E. (2013). Suicide ideation and suicide attempts among White Southern lesbians. *Journal of Gay & Lesbian Mental Health*, 17, 4-20. doi: 10.1080/19359705.2012.711552
- Ito, K., Inagaki, H., Sugiyama, M., Okamura, T., Shimokado, K., & Awata, S. (2013). Association between subjective memory complaints and mental health well-being in urban community-dwelling elderly in Japan. *Geriatrics & Gerontology International*, 13(1), 234-235. doi: 10.1111/j.1447-0594.2012.00883.x PMID: 23286567.
- Iwasa, H., Masui, Y., Inagaki, H., Yoshida, Y., Shimada, H., Otsuka, R., ... & Suzuki, T. (2017). Assessing competence at a higher level among older adults: development of the Japan Science and Technology Agency Index of Competence (JST-IC). *Aging clinical and experimental research*, 1-11.
- Jang, Y., Roh, S. H., & Chiriboga, D. A. (2014). The impact of acculturation on depressive symptoms: A comparison of older Korean Americans in two areas. *Asian American Journal of Psychology*, 5(3), 200-205. doi: 10.1037/a0032591
- Jessen, F., Spottke, A., Boecker, H., Brosseron, F., Buerger, K., Catak, C., ... & Janowitz, D. (2018). Design and first baseline data of the DZNE multicenter observational study on predementia Alzheimer's disease (DELCODE). *Alzheimer's research & therapy*, 10(1), 15.

- Kim, J. (2014, November). Impacts of a computer and Internet skills training program on communication and social connectedness among low-income older adults. In *142nd APHA Annual Meeting and Exposition (November 15-November 19, 2014)*. APHA.
- Kimura, M., Yamazaki, S., Haga, H., & Yasumura, S. (2013). The prevalence of social engagement in the disabled elderly and related factors. *ISRN Geriatrics, 2013*, Article ID 709823 doi:10.1155/2013/709823
- Ko, E., & Lee, J. (2010). Completion of advance directives among Korean American and non-Hispanic White older adults. *Research on Aging, 32*(5), 618-644. doi: 10.1177/0164027510377310
- Kobayashi, K., Cloutier-Fisher, D., & Roth M. (2009). Making meaningful connections: A profile of social isolation and health among older adults in small town and small city, British Columbia, *Journal of Aging and Health, 21*(2), 374-397. doi: 10.1177/0898264308329022 PMID: 19074646
- Kolomer, S. (2009). Grandparent caregivers' health and management of prescription medication. *Journal of Intergenerational Relations, 7*, 243-258. doi:10.1080/15350770902851346
- \* Lee, K., Kim, S., Chung, W., Hwang, G., Hwang, Y., & Hwang, I. (2009). The validity and reliability of Korean version of Lubben Social Network Scale. *Korean Journal of Family Medicine, 30*(5), 352- 358. doi:10.4082/kjfm.2009.30.5.352
- Leedahl, S. N., Brasher, M. S., Estus, E., Breck, B. M., Dennis, C. B., & Clark, S. C. (2018). Implementing an interdisciplinary intergenerational program using the Cyber Seniors® reverse mentoring model within higher education. *Gerontology & geriatrics education, 1*-19.
- Levy-Storms, L., & Lubben, J. (2006). Network composition and health behaviors among older Samoan women. *Journal of aging and Health, 18*(6), 814-836. PMID: 17099135
- Loke, S., Abdullah, S., Chai, S., Hamid, T., & Yahaya, N. (2011). Assessment of factors influencing morale in the elderly. *PLoS One, 6*(1), e16490. doi: 10.1371/journal.pone.0016490 PMID: 21283551.
- Loke, S. C., Lim, W. S., Someya, Y., Hamid, T. A., & Nudin, S. S. (2015). Examining the Disability Model From the International Classification of Functioning, Disability, and Health Using a Large Data Set of Community-Dwelling Malaysian Older Adults. *Journal of aging and health, 0898264315609907*.
- Lou, V., Chui, E., Leung, A., Kwan, C., Chi, I., & Leung, E. (2009). Characteristics of elderly people who prefer to stay in the community. *Asian Journal of Gerontology & Geriatrics, 4*(1), 36-39.

- \* Lubben, J., Blozik, E., Gillmann, G., Iliffe, S., von Renteln Kruse, W., Beck, J., & Stuck, A. (2006). Performance of an abbreviated version of the Lubben Social Network Scale Among three European community-dwelling older adult populations. *The Gerontologist*, 46(4), 503-513. PMID: 16921004.
- \* Lubben, J. (2006). Abbreviated and Targeted Geriatric Assessment. In B. Berkman (Ed.), *Handbook of Social Work in Health and Aging* (pp. 729-735). New York, NY: Oxford University Press.
- \* Lubben, J., & Gironda, M. (2003). Centrality of Social Ties to the Health and Well Being of Older Adults. In B. Berkman & L. Harooytan (Eds.), *Social Work and Health Care in an Aging World* (pp. 319-350). New York, NY: Springer.
- McConkey, R. (2013). Irish attitudes to sexual relationships and people with intellectual disability. *British Journal of Learning Disabilities*, 41, 181-188. doi:10.1111/bld.12036
- Mimiaga, M., Reisner, S., Cranston, K., Isenberg, D., Bright, D., Daffin, G., ... Mayer, K. (2009). Sexual mixing patterns and partner characteristics of black MSM in Massachusetts at increased risk for HIV infection and transmission. *Journal of Urban Health: Bulletin of the New York Academy of Medicine*, 86(4), 602-623. doi: 10.1007/s11524-009-9363-6 PMID: 19466554.
- Momtaz, Y., Hamid, ., Ibrahim, R., Yahaya, N., & Chai, S. (2011). Moderating effect of religiosity on the relationship between social isolation and psychological well-being. *Mental Health, Religion & Culture*, 14(2), 141-156. doi:10.1080/13674676.2010.497963
- Momtaz, Y. A., Haron, S. A., Ibrahim, R., & Hamid, T. A. (2014). Social embeddedness as a mechanism for linking social cohesion to well-being among older adults: Moderating effect of gender. *Clinical Intervention in Aging*, 9, 863-870. doi: 10.2147/CIA.S62205 PMID: 24904206
- Moroń, M. (2014). Emotion understanding, interpersonal competencies and loneliness among students. *Polish Psychological Bulletin*, 45(2), 223-249. doi: 10.2478/ppb-2014-0028
- Nakaya, N., Nemoto, H., Yi, C., Sato, A., Shingu, K., Shoji, T., ... & Kogure, M. (2018). Effect of tsunami drill experience on evacuation behavior after the onset of the Great East Japan Earthquake. *International Journal of Disaster Risk Reduction*, 28, 206-213.
- Nelms, L., Johnson, V., Teshuva, K., Foreman, P., & Stanley, J. (2009). Social and health factors affecting community service use by vulnerable older people. *Australian Social Work*, 62(4), 507-524. doi: 10.1080/03124070903312823
- Pas, S., Castell, M., Cooper, C., Denkinger, M., Dennison, E., Edwards, M., ... Deeg, D. (2013). European project on osteoarthritis: Design of a six-cohort study on the personal and societal burden of osteoarthritis in an older European population. *BMC Musculoskeletal Disorders*, 14, 138. doi:10.1186/1471-2474-14-138

- Phillips, J., Dobbs, C., Burholt, V., & Marston, H. (2013). Extracare: Does it promote resident satisfaction compared to residential and home care? *British Journal of Social Work*, 2013, 1-19. doi: 10.1093/bjsw/bct185
- Premaor, M., Ensrud, K., Lui, L., Parker, R., Cauley, J., Hillier, T., ... Compston, J. (2011). Risk factors for nonvertebral fracture in obese older women. *The Journal of Clinical Endocrinology & Metabolism*, 96(8), 2414-2421. doi: 10.1210/jc.2011-0076 PMID: 21677038.
- Raymond, M., Iliffe, S., Kharicha, K., Harari, D., Swift, C., Gillmann, G., Stuck, A. (2011). Health risk appraisal for older people 5: Self-efficacy in patient–doctor interactions. *Primary Health Care Research & Development*, 12, 348-356 doi:10.1017/S1463423611000296 PMID: 21774869.
- Ribeiro, O., Teixeira, L., Duarte, N., Azevedo, M. J., Araújo, L., Barbosa, S., & Paúl, C. (2012). Versão Portuguesa da Escala Breve de Redes Sociais de Lubben (LSNS-6). *Kairós Gerontologia. Revista da Faculdade de Ciências Humanas e Saúde. ISSN 2176-901X*, 15, 217-234.
- Routasalo, P., Tilvis, R., Kautiainen, H., & Pitkala, K. (2009). Effects of psychosocial group rehabilitation on social functioning, loneliness and well-being of lonely, older people: Randomized controlled trial. *Journal of Advanced Nursing*, 65(2), 297-305. doi: 10.1111/j.1365-2648.2008.04837.x PMID: 19054177.
- Saito, T., Kai, I., Takizawa, A. (2012). Effects of a program to prevent social isolation on loneliness, depression, and subjective well-being of older adults: A randomized trial among older migrants in Japan. *Archives of Gerontology and Geriatrics*, 55, 539-547. doi: 10.1016/j.archger.2012.04.002 PMID: 22564362.
- Shimada, H., Ishizaki, T., Kato, M., Morimoto, A., Tamate, A., Uchiyama, Y., & Yasumura, S. (2010). How often and how far do frail elderly people need to go outdoors to maintain functional capacity? *Archives of Gerontology and Geriatrics*, 50, 140-146. doi:10.1016/j.archger.2009.02.015 PMID: 19356806.
- Shimada, K., Yamazaki, S., Nakano, K., Ngoma, A. M., Takahashi, R., & Yasumura, S. (2014). Prevalence of social isolation in community-dwelling elderly by differences in household composition and related factors: from a social network perspective in Urban Japan. *Journal of Aging and Health*, 26(5), 807-823. PMID: 24812264
- Shou, J., Du, Z., Wang, H., Ren, L., Liu, Y., & Zhu, S. (2018). Quality of life and its contributing factors in an elderly community-dwelling population in Shanghai, China. *Psychogeriatrics*, 18(2), 89-97.
- Slosser, A., McKibbin, C., Lee, A., Bourassa, K., & Carrico, C. Perceived Health Status and Social Network as Predictors of Resilience in Rural Older Adults. *Age*, 1(13), 806.

- Sone, T., Nakaya, N., Sugawara, Y., Tomata, Y., Watanabe, T., & Tsuji, I. (2016). Longitudinal association between time-varying social isolation and psychological distress after the Great East Japan Earthquake. *Social Science & Medicine*, *152*, 96-101.
- Sun, F., Gao, X., Shen, H., Burnette, D. (2014). Levels and correlated of knowledge about Alzheimer's disease among older Chinese Americans. *Journal of Cross-Cultural Gerontology*, *29*(2), 173-183. doi: 10.1007/s10823-014-9229-6
- Taylor, H. O., Herbers, S., Talisman, S., & Morrow-Howell, N. (2016). Assessing Social Isolation: Pilot Testing Different Methods. *Journal of Gerontological Social Work*.
- Teo, A. R. (2016). International research on social withdrawal. *European Psychiatry*, (33), S23.
- Teo, A. R., Fetters, M. D., Stufflebam, K., Tateno, M., Balhara, Y., Choi, T. Y., ... & Kato, T. A. (2015). Identification of the hikikomori syndrome of social withdrawal: Psychosocial features and treatment preferences in four countries. *International Journal of Social Psychiatry*, *61*(1), 64-72.
- Teo, A. R., Fetters, M. D., Stufflebam, K., Tateno, M., Balhara, Y., Choi, T., ... Kato, T. A. (2014). Identification of the hikikomori syndrome of social withdrawal: Psychosocial features and treatment preferences in four countries. *International Journal of social Psychiatry*. doi: 10.1177/0020764014535758
- Thanakwang, K., Ingersoll-Dayton, B., & Soonthornhdada, K. (2012). The relationships among family, friends, and psychological well-being for Thai elderly. *Aging & Mental Health*, *16*(8), 993-1003. doi: 10.1080/13607863.2012.692762 PMID: 22681447.
- Thanakwang, K., & Soonthornhdada, K. (2011). Mechanisms by which social support networks influence healthy aging among Thai community-dwelling elderly. *Journal of Aging and Health*, *23*(8), 1352-1378. doi: 10.1177/0898264311418503 PMID: 21862701.
- Thanakwang, K., & Soonthornhdada, K. (2008). Family relations and health-promoting behavior among older people in Nan province. *Journal of the Medical Association of Thailand*, *91*(7), 1102-1108. PMID: 18839853
- Thanakwang, K. (2008). Social networks and social support influencing health-promoting behaviors among Thai community-dwelling elderly. *Thai Journal of Nursing Research*, *12*(4), 243-258.
- Vilar-Compte, M., Vargas-Bustamante, A., & Lubben, J. (2018). Validation Study of the Abbreviated Version of the Lubben Social Network Scale Spanish Translation among Mexican and Mexican-American Older Adults. *Journal of cross-cultural gerontology*, 1-17.
- Villas-Boas, S., De Oliveira, A. L., Ramos, N., & Montero, I. (2018). SOCIAL SUPPORT AND GENERATIONAL DIVERSITY: THE POTENTIAL OF THE LSNS-6. *Pedagogia Social*, (31), 177-189.

Waldrop, D., O'Connor, T., & Trabold, N. (2011). "Waiting for the other shoe to drop:" Distress and coping during and after treatment for breast cancer. *Journal of Psychosocial Oncology*, 29, 450-473. PMID: 21966727

Wee, L., Yong, Y., Chng, M., Chew, S., Cheng, L., Chua, Q., ... & Koh, G. (2013). Individual and area-level socioeconomic status and their association with depression amongst community-dwelling elderly in Singapore. *Aging and Mental Health*, doi: 10.1080/13607863.2013.866632

Wee, L. E., Daniel, P., Sim, A., Lee, R., Tay, S. M., Luo, N., & Koh, G. C. H. (2018). Health-Related Quality of Life in a Low-Socioeconomic Status Public Rental-Flat Population in Singapore. *Applied Research in Quality of Life*, 13(1), 179-195.

Windsor, T. (2009). Persistence in goal striving and positive reappraisal as psychosocial resources for ageing well: A dyadic analysis. *Aging & Mental Health*, 13(6) 874-884. doi: 10.1080/13607860902918199 PMID: 19888707.

Yates, J. A., Clare, L., & Woods, R. T. (2017). "You've got a friend in me": can social networks mediate the relationship between mood and MCI?. *BMC geriatrics*, 17(1), 144.

Yunong, H. (2011). Family relations and life satisfaction of older people: A comparative study between two different *hukous* in China. *Ageing & Society*, 32, 19-40. doi: 10.1017/S0144686X11000067

### **LSNS Modifications**

Gabrielson, M. L., & Holston, E. C. (2014). Broadening definitions of family for older lesbians: Modifying the Lubben social network scale. *Journal of gerontological social work*, 57(2-4), 198-217.

Ha, J. H., Hougham, G. W., & Meltzer, D. O. (2018). Risk of social isolation among older patients: what factors affect the availability of family, friends, and neighbors upon hospitalization?. *Clinical gerontologist*, 1-10.

Hildon, Z. J. L., Tan, C. S., Shiraz, F., Ng, W. C., Deng, X., Koh, G. C. H., ... & Wu, T. (2018). The theoretical and empirical basis of a BioPsychoSocial (BPS) risk screener for detection of older people's health related needs, planning of community programs, and targeted care interventions. *BMC geriatrics*, 18(1), 49.

### **\* Studies that report validation results for LSNS**